

Package: tidybins (via r-universe)

September 10, 2024

Type Package

Title Make Tidy Bins

Version 0.1.1

Maintainer Harrison Tietze <Harrison4192@gmail.com>

Description Multiple ways to bin numeric columns with a tidy output.
Wraps a variety of existing binning methods into one function,
and includes a new method for binning by equal value, which is
useful for sales data. Provides a function to automatically
summarize the properties of the binned columns.

Encoding UTF-8

RoxygenNote 7.3.1

URL <https://harrison4192.github.io/tidybins/>,
<https://github.com/Harrison4192/tidybins>

BugReports <https://github.com/Harrison4192/tidybins/issues>

Imports magrittr, dplyr, stringr, tidysselect, purrr, janitor, tibble,
rlang, lubridate, stats, scales, ggplot2, rlist, OneR, strex,
ClusterR, framecleaner, xgboost, badger, autostats

Suggests knitr, rmarkdown, arulesCBA, embed, woeBinning, recipes

VignetteBuilder knitr

License GPL (>= 3)

Repository <https://harrison4192.r-universe.dev>

RemoteUrl <https://github.com/harrison4192/tidybins>

RemoteRef HEAD

RemoteSha 227744bfc48b6f2e5cd07513fb7d1d75a914f0eb

Contents

add_clusters	2
bin_cols	3

bin_equal_value	4
bin_summary	5
drop_original_cols	5
five_number_summary	6
numeric_summary	7
Index	8

add_clusters	<i>add_clusters</i>
--------------	---------------------

Description

Wraps [KMeans_rcpp](#) to create a column that is a cluster formed from select columns in the data frame. Clusters names are specified by capital letters.

Usage

```
add_clusters(.data, ..., n_clusters = 4, cluster_name = "cluster")
```

Arguments

.data	dataframe
...	columns to cluster (tidyselect)
n_clusters	integer
cluster_name	column name

Value

data frame

Examples

```
iris %>%
  tibble::as_tibble() %>%
  add_clusters(Sepal.Width, Sepal.Length, n_clusters = 3, cluster_name = "Sepal_Cluster") -> iris1

iris1

iris1 %>%
  numeric_summary(original_col = Sepal.Width, bucket_col = Sepal_Cluster)
```

bin_cols

*Bin Cols***Description**

Make bins in a tidy fashion. Adds a column to your data frame containing the integer codes of the specified bins of a certain column. Specifying multiple columns is only intended for supervised binning, so multiple columns can be simultaneously binned optimally with respect to a target variable.

Usage

```
bin_cols(
  .data,
  col,
  n_bins = 10,
  bin_type = "frequency",
  ...,
  target = NULL,
  pretty_labels = FALSE,
  seed = 1,
  method = "mdlp"
)
```

Arguments

.data	a data frame
col	a column, vector of columns, or tidyselect
n_bins	number of bins
bin_type	method to make bins
...	params to be passed to selected binning method
target	unquoted column for supervised binning
pretty_labels	logical. If T returns interval label rather than integer rank
seed	seed for stochastic binning (xgboost)
method	method for bin mdlp

Details

Description of the arguments for bin_type

frequency (fr) creates bins of equal content via quantiles. Wraps `bin` with method "content". Similar to `ntile`

width (wi) create bins of equal numeric width. Wraps `bin` with method "length"

kmeans (km) create bins using 1-dimensional kmeans. Wraps `bin` with method "clusters"

value (va) each bin has equal sum of values

xgboost (xg) column is binned by best predictor of a target column using `step_discretize_xgb`

cart (ca) if the col does not have enough distinct values, xgboost will fail and automatically revert to `step_discretize_cart`

woe (wo) column is binned by weight of evidence. Requires binary target

logreg (lr) column is binned by logistic regression. Requires binary target.

mdlp uses the `discretizeDF.supervised` algorithm with a variety of methods.

Value

a data frame

Examples

```
iris %>%
  bin_cols(Sepal.Width, n_bins = 5, pretty_labels = TRUE) %>%
  bin_cols(Petal.Width, n_bins = 3, bin_type = c("width", "kmeans")) %>%
  bin_cols(Sepal.Width, bin_type = "xgboost", target = Species, seed = 1) -> iris1

#binned columns are named by original name + method abbreviation + number bins created.
#Sometimes the actual number of bins is less than n_bins if the col lacks enough variance.
iris1 %>%
  print(width = Inf)

iris1 %>%
  bin_summary() %>%
  print(width = Inf)
```

bin_equal_value	<i>bin equal value</i>
-----------------	------------------------

Description

Bins a numeric column such that each bin contains 10. Intended for positive numeric vectors that make sense to sum, such as sales. Negative and NAs get treated as 0. The function never puts two rows with the same value into different bins. Accessed by the "value" method of the `bin_cols` function.

Usage

```
bin_equal_value(mdb, col, n_bins = 10)
```

Arguments

mdb	dataframe
col	a numeric vector
n_bins	number of bins

Value

an integer vector

bin_summary	<i>summarize bins</i>
-------------	-----------------------

Description

Returns a summary of all bins created by ‘bin_cols’ in a data frame. Takes no arguments other than the data frame but relies on regular expressions based of the ‘bin_cols’ output in order to identify the corresponding columns.

Usage

```
bin_summary(mdb, ...)
```

Arguments

mdb	dataframe output from bin_cols
...	optional tidyselct specification for specific cols

Value

a tibble

Examples

```
iris %>%
  bin_cols(Sepal.Width) %>%
  bin_summary()
```

drop_original_cols	<i>Drop Original Cols</i>
--------------------	---------------------------

Description

Drops the original column from the dataframe once bins are made. Throws an error if the same column has multiple bin cols.

Usage

```
drop_original_cols(.data, ..., restore_names = FALSE)
```

Arguments

`.data` dataframe output from `bin_cols`
`...` `tidyselect`. default chooses all cols created from binning
`restore_names` Logical, default FALSE. rename the binned cols with the original column names?

Value

dataframe

Examples

```
iris %>%
  bin_cols(Sepal.Length) %>%
  bin_cols(Sepal.Width, pretty_labels = TRUE) -> iris1

iris1

iris1 %>%
  drop_original_cols(restore_names = TRUE)

iris1 %>%
  drop_original_cols(restore_names = FALSE)
```

`five_number_summary` *five number summary*

Description

The five number summary of a numeric vector you would get from ‘summary’ but returned with a tidy output.

Usage

```
five_number_summary(x)
```

Arguments

`x` a numeric vector

Value

a tibble

Examples

```
iris$Petal.Width %>%
  five_number_summary()
```

numeric_summary	<i>numeric summary</i>
-----------------	------------------------

Description

This function summarizes an arbitrary bin column, with respect to its original column. Can be used to summarize bins created from any package, or any arbitrary categorical column paired with a numeric column.

Usage

```
numeric_summary(mdb, original_col, bucket_col)
```

Arguments

mdb	a data frame
original_col	original numeric column
bucket_col	columns of bins

Value

a tibble

Examples

```
iris %>%  
  numeric_summary(original_col = Sepal.Length, bucket_col = Species)
```

Index

`add_clusters`, [2](#)

`bin`, [3](#)

`bin_cols`, [3](#)

`bin_equal_value`, [4](#)

`bin_summary`, [5](#)

`discretizeDF.supervised`, [4](#)

`drop_original_cols`, [5](#)

`five_number_summary`, [6](#)

`KMeans_rcpp`, [2](#)

`ntile`, [3](#)

`numeric_summary`, [7](#)

`step_discretize_cart`, [4](#)

`step_discretize_xgb`, [4](#)